CLINICAL PHARMACOLOGY and THERAPEUTICS

Editor

Walter Modell, M.D.

Editorial Board

Arthur J. Atkinson, Jr., M.D.
Frank M. Berger, M.D., D.Sc.
Karl H. Beyer, Jr., M.D., Ph.D.
Hylan A. Bickerman, M.D.
Edward A. Carr, Jr., M.D.
Leighton E. Cluff, M.D.
Jonathan O. Cole, M.D.
Allan H. Conney, Ph.D.
T. S. Danowski, M.D.
Arthur C. DeGraff, M.D.
Peter Dineen, M.D.
Edward F. Domino, M.D.
Henry W. Elliott, M.D., Ph.D.
Karl Engelman, M.D.
Alvan R. Feinstein, M.D.
Max Fink, M.D.
Robert B. Forney, Ph.D.
Emil Frei III, M.D.
Franz Gross, M.D.
Arthur Hull Hayes, Jr., M.D.
Leo E. Hollister, M.D.
Raymond W. Houde, M.D.
Bartholomew P. Hsi, Ph.D.
Ernest Jawetz, M.D., Ph.D.
Arthur S. Keats, M.D.
Richard H. Kessler, M.D.
Joseph B. Kirsner, M.D., Ph.D.
Jan Koch-Weser, M.D.
Kenneth G. Kohlstaedt, M.D.
Louis Lasagna, M.D.
D. R. Laurence, M.D.
Gerhard Levy, Pharm.D.
T. A. Loomis, M.D., Ph.D.
Daniel S. Lukas, M.D.
Fletcher H. McDowell, M.D.
Tag E. Mansour, Ph.D.
Dean T. Mason, M.D.
R. K. Richards, M.D.
Malcolm Rowland, Ph.D.
Jay Tepperman, M.D.
Leroy D. Vandam, M.D.
John G. Wagner, Ph.D.
Graham M. Wilson, M.D., F.R.C.P., F.R.C.P.E.

Volume 17, January-June, 1975

The C. V. Mosby Company, St. Louis

Volume 17
Copyright © 1975 by
The C. V. Mosby Company

All rights reserved

Printed in the United States of America

Index to volume 17

Author index*

A

ADAR, R. (*See* Reichert et al.), 612
ALLEN, A. T., III. (*See Neeld et al.), 290*
ALLEN, L. M., AND CREAVEN, P. J. Pharmacokinetics of ifosfamide, 492
ALVARES, A. P., KAPELNER, S., SASSA, S., AND KAPPAS, A. Drug metabolism in normal children, lead-poisoned children, and normal adults, 179
ANAST, C. (*See* Puschett et al.), 202
ÄNGGÅRD, E., GUNNE, L.-M., HOLMSTRAND, J., MCMAHON, R. E., SANDBERG, C.-G., AND SULLIVAN, H. R. Disposition of methadone in methadone maintenance, 258
AQLEH, K. A. (*See* Bellville et al.), 541
ARONOW, W. S., AND CASSIDY, J. Effect of smoking marihuana and of a high-nicotine cigarette on angina pectoris, 549
—, SPIVACK, N., LAVERTY, W., AND WARREN, M. Effect of tolamolol and propranolol on exercise heart rate and angina, 379
ATKINSON, A. J., JR. (*See* Elson et al.), 134
—. (*See* Strong et al.), 184

B

BEERMANN, B., HELLSTRÖM, K., LINDSTRÖM, B., AND ROSÉN, A. Binding-site interaction of chlorthalidone and acetazolamide, two drugs transported by red blood cells, 424
BELLVILLE, J. W., SWANSON, G. D., AND AQLEH, K. A. Respiratory effects of delta-9-tetrahydrocannabinol, 541
BELLWARD, G. (*See* Shen et al.), 363
BENGTSSON, C., JOHNSSON, G., AND REGÅRDH, C.-G. Plasma levels and effects of metoprolol on blood pressure and heart rate in hypertensive patients after an acute dose and between two doses during long-term treatment, 400
BENNETT, W. M. (*See* Olsen et al.), 677
BERKOWITZ, B. A., NGAI, S. H., YANG, J. C., HEMPSTEAD, J., AND SPECTOR, S. The disposition of morphine in surgical patients, 629
BESSMAN, A. N. (*See* Goodman and Bessman), 167
BIELMANN, P., BRUN, D., MOORJANI, S., GAGNÉ, C., LUPIEN, P., AND TÉTREAULT, L. Dose-response to tibric acid; a new hypolipidemic drug in type IV hyperlipoproteinemia, 606
BLACHLY, P. H., 251 (Correspondence)
BLASCHKE, T. F., MEFFIN, P. J., MELMON, K. L., AND ROWLAND, M. Influence of acute viral hepatitis on phenytoin kinetics and protein binding, 685
BOCHNER, F. (*See* Hooper et al.), 433
BODEM, G. (*See* Gugler et al.), 127
BODEY, G. P. (*See* Ho et al.), 66
BOWERS, M. B., JR. Thioridazine: Central dopamine turnover and clinical effects of antipsychotic drugs, 73
BRIGGS, W. A. (*See* Gibson et al.), 321, 395
BRONSKY, E. (*See* Weinberger and Bronsky), 585
BROWN, B. W. (*See* Teutsch et al.), 195
BROWN, C. R. (*See* Teutsch et al.), 195
BROWN, H. B., LEWIS, L. A., AND PAGE, I. H. Effects of clofibrate and a fat-modified diet on serum lipids, 171
BRUN, D. (*See* Bielmann et al.), 606
BRYAN, C. S. (*See* Latos et al.), 692
BURCH, G. E., AND GILES, T. D. Effect of glucagon on digital circulation, 409
BURRIS, B. C. (*See* Strong et al.), 184
BUSELMEIER, T. J. (*See* Mauer et al.), 88

C

CARR, C. B. (*See* Jasinski et al.), 267
CARR, E. A., JR. Introduction, American Society for Clinical Pharmacology and Therapeutics, Seventy-sixth Annual Meeting, 221
CASSIDY, J. (*See* Aronow and Cassidy), 549
CAVNESS, C. (*See* Feinberg et al.), 458
CHASE, T. N. (*See* Shoulson and Chase), 616
CHAWLA, P. L. (*See* Lokich et al.), 374
CHRISTIANSEN, J. (*See* Gram and Christiansen, 555
CLARKE, J. T. (*See* Libke et al.), 441
COLEMAN, E. (*See* Neeld et al.), 290
CONTI, F. (*See* Fuccella et al.), 277
CORVI, G. (*See* Fuccella et al.), 277

*January, pp. 1-120; February, pp. 121-252; March, pp. 253-378; April, pp. 379-514; May, pp. 515-628; June, pp. 629-758.

COTTER, L. M. (*See* Hooper et al.), 433
CRAIG, W. A. (*See* Welling et al.), 475
CRAWFORD, M. H. (*See* LeWinter et al.), 709
CREAVEN, P. J. (*See* Allen and Creaven), 492
CUNNINGHAM, R. (*See* Shen et al.), 363

D

DAVE, C., HIGBY, D., MATTERN, J., HOLLAND, J. F., AND GRACE, J. T., JR. Pharmacokinetics of guanazole in patients with acute myelocytic leukemia, 36
DAYTON, P. (*See* Shen et al.), 363
DELUCA, H. F. (*See* Puschett et al.), 202
DENGLER, H. J. (*See* Gugler et al.), 127
DOEDENS, D. J. (*See* Lavelle et al.), 355
DOLLINGER M. R., AND KRAKOFF, I. H. Hemolysis induced by 6-N-hydroxylaminopurine riboside, an adenosine analogue, 57
DONZEL, P. (*See* Pécoud et al.), 469
DRAYER, D. E. (*See* Reidenberg et al.), 722
DUBETZ, D. K. (*See* Hooper et al.), 433
DUHME, D. W. (*See* Greenblatt et al.), 118 (Correspondence)

E

EADIE, M. J. (*See* Hooper et al.), 433
EHRLICH, G. E., AND WORTHAM, G. F. Pseudoproteinuria in tolmetin-treated patients, 467
ELIAS, R. A. (*See* Yeh et al.), 141
ELIN, R. J., VESELL, E. S., AND WOLFF, S. M. Effects of etiocholanolone-induced fever on plasma antipyrine half-lives and metabolic clearance, 447
ELONEN, E. (*See* Seppälä et al.), 515
ELSON, J., STRONG, J. M., LEE, W.-K., AND ATKINSON, A. J., JR. Antiarrhythmic potency of N-acetylprocainamide, 134
EL-YOUSEF, M. K. (*See* Freemon et al.), 121
EMANUELI, A. (*See* Ventafridda et al.), 284
EVANS, E. F., PROCTOR, J. D., FRATKIN, M. J., VELANDIA, J., AND WASSERMAN, A. J. Blood flow in muscle groups and drug absorption, 44

F

FEINBERG, I., JONES, R., WALKER, J. M., CAVNESS, C., AND MARCH, J. Effects of high dosage delta-9-tetrahydrocannabinol on sleep patterns in man, 458
FEINSTEIN, A. R. Clinical biostatistics
XXXI. On the sensitivity, specificity, and discrimination of diagnostic tests, 104
XXXII. Biologic dependency, 'hypothesis testing', unilateral probabilities, and other issues in scientific direction vs statistical duplexity, 499
FORNEY, R. B. (*See* Lavelle et al.), 355
FORREST, W. H., JR. (*See* Teutsch et al.), 195
FRANCIS, J. S., JR. (*See* Yeh et al.), 141
FRATKIN, M. J. (*See* Evans et al.), 44
FREDERICKSON, E. L. (*See* Neeld et al.), 290
FREEMON, F. R., ROSENBLATT, J. E., AND EL-YOUSEF, M. K. Interaction of physostigmine and delta-9-tetrahydrocannabinol in man, 121
FREI, E., III. (*See* Lokich et al.), 374
—. (*See* Tattersall et al.), 701
FREIREICH, E. J. (*See* Ho et al.), 66
FRIEDMAN, A. (*See* Puschett et al.), 202
FUCCELLA, L. M., CONTI, F., CORVI, G., MANDELLI, V., RANDELLI, M., AND STEFANELLI, G. Double-blind study of the analgesic effect of indoprofen (K 4277), 277
FURST, D. E., AND PAULUS, H. E. Lack of effect of rheumatoid arthritis on clonixin metabolism, 622

G

GAFNI, J. (*See* Reichert et al.), 612
GAGNÉ, C. (*See* Bielmann et al.), 606
GARRETTSON, L. K., AND JUSKO, W. J. Diphenylhydantoin elimination kinetics in overdosed children, 481
—, PROCKNAL, J. A., AND LEVY, G. Fetal acquisition and neonatal elimination of a large amount of salicylate, 98
GENEL, M. (*See* Puschett et al.), 202
GIBALDI, M. (*See* Shen et al.), 363, 593
GIBBONS, D. O., AND LANT, A. F. Effects of intravenous and oral propantheline and metoclopramide on ethanol absorption, 578
GIBSON, T. P., LOWENTHAL, D. T., NELSON, H. A., AND BRIGGS, W. A. Elimination of procainamide in end stage renal failure, 321
—, MATUSIK, J., MATUSIK, E., NELSON, H. A., WILKINSON, J., AND BRIGGS, W. A. Acetylation of procainamide in man and its relationship to isonicotinic acid hydrazide acetylation phenotype, 395
GILES, T. D. (*See* Burch and Giles), 409
GLASS, J. (*See* Selley et al.), 599
GOLDBERG, L. I. (*See* Neeld et al.), 290
GOLDSTEIN, A. (*See* Horns et al.), 636
GOODMAN, J., AND BESSMAN, A. N. Effect of nortestosterone decanoate on red cell 2,3 diphosphoglycerate and hematocrit in hemodialysis patients, 167
GORODETZKY, C. W., AND KULLBERG, M. P. Etorphine in man. II. Detectability in urine by common screening methods, 273
GOSSELIN, A. J. (*See* Yeh et al.), 141
GRACE, J. T., JR. (*See* Dave et al.), 36
GRAFFNER, C., JOHNSSON, G., AND SJÖGREN, J. Pharmacokinetics of procainamide intravenously and orally as conventional and slow-release tablets, 414
GRAM, L. F., AND CHRISTIANSEN, J. First-pass metabolism of imipramine in man, 555

GREEN, J. R. (*See* Levy et al.), 657
GREENBLATT, D. J., DUHME, D. W., KOCH-WESER, J., AND SMITH, T. W., 118 (Correspondence)
—, SHADER, R. I., AND KOCH-WESER, J. Flurazepam hydrochloride, 1 (Review article)
GRIFFITH, J. D. (*See* Jasinski et al.), 267
GRITZ, E. R. (*See* Kozlowski et al.), 93
GRUBER, C. M., JR. (*See* Wolen et al.), 15
GUGLER, R., HÖBEL, W., BODEM, G., AND DENGLER, H. J. The effect of pindolol on exercise-induced cardiac acceleration in relation to plasma levels in man, 127
GUNNE, L.-M. (*See* Änggård et al.), 258

H

HAHN, K.-J., KRISCHKOFSKI, D., WEBER, E., AND MORGENSTERN, E. Morphology of gastrointestinal effects of aspirin, 330
HALKIN, H., MEFFIN, P., MELMON, K. L., AND ROWLAND, M. Influence of congestive heart failure on blood levels of lidocaine and its active monodeethylated metabolite, 669
—, SHEINER, L. B., PECK, C. C., AND MELMON, K. L. Determinants of the renal clearance of digoxin, 385
HANSEN, I., JACOBSEN, E., AND WEIS, J. Pharmacokinetics of sulbenicillin, a new broad-spectrum semisynthetic penicillin, 339
HANSEN, J. M. (*See* Lumholtz et al.),731
HELLSTRÖM, K. (*See* Beermann et al.), 424
HEMPSTEAD, J. (*See* Berkowitz et al.), 629
HENSGENS, C. (*See* Klastersky et al.), 348
HIGBY, D. (*See* Dave et al.), 36
HO, D. H. W., RODRIGUEZ, V., LOO, T. L., BODEY, G. P., AND FREIREICH, E. J. Clinical pharmacology of O^2,2′-cyclocytidine, 66
HÖBEL, W. (*See* Gugler et al.), 127
HOLLAND, J. F. (*See* Dave et al.), 36
HOLMSTRAND, J. (*See* Änggård et al.), 258
HOOPER, W. D., DUBETZ, D. K., BOCHNER, F., COTTER, L. M., SMITH, G. A., EADIE, M. J., AND TYRER, J. H. Plasma protein binding of carbamazepine, 433
HORNS, W. H., RADO, M., and GOLDSTEIN, A. Plasma levels and symptom complaints in patients maintained on daily dosage of methadone hydrochloride, 636
HUFFMAN, D. H. Relationship between digoxin concentrations and serum and saliva, 310

I

IGNOFFO, R. J., 249 (Correspondence)
ISRAILI, Z. (*See* Shen et al.), 363

J

JACOBSEN, E. (*See* Hansen et al.), 339
JAIN, A. K. (*See* McMahon et al.), 79
—. (*See* Ryan et al.), 83
JAMES, K. E. (*See* Teutsch et al.), 195
JARVIK, M. E. (*See* Kozlowski et al.), 93
JASINSKI, D. R., GRIFFITH, J. D., and CARR, C. B. Etorphine in man. I. Subjective effects and suppression of morphine abstinence, 267
JOHNSSON, G. (*See* Bengtsson et al.), 400
—. (*See* Graffner et al.), 414
JONES, R. (*See* Feinberg et al.), 458
JORGENSEN, H. (*See* Vesell et al.), 48
JOUBERT, P., RIVERA-CALIMLIM, L., AND LASAGNA, L. The normal volunteer in clinical investigation: How rigid should selection criteria be? 253 (Commentary)
JUSKO, W. J. (*See* Garrettson and Jusko), 481

K

KAMPMANN, J. (*See* Lumholtz et al.), 731
KAPELNER, S. (*See* Alvares et al.), 179
KAPPAS, A. (*See* Alvares et al.), 179
KARLINER, J. S. (*See* LeWinter et al.), 709
KEATS, A. S. (*See* Romagnoli and Keats), 523
KEETON, K. (*See* Pettinger et al.), 146
KIRBY, W. M. M. (*See* Libke et al.), 441
KJELLSTRAND, C. M. (*See* Mauer et al.), 88
KLASTERSKY, J., ODIO, W., and HENSGENS, C. Comparison of amikacin and gentamicin, 348
KLEIT, S. A. (*See* Lavelle et al.), 355
KOCH-WESER, J. (*See* Greenblatt et al.), 1 (Review article); 118 (Correspondence)
KORN, J. (*See* McNamee et al.), 735
KOZLOWSKI, L. T., JARVIK, M. E., and GRITZ, E. R. Nicotine regulation and cigarette smoking, 93
KRAKOFF, I. H. (*See* Dollinger and Krakoff), 57
KRISCHKOFSKI, D. (*See* Hahn et al.), 330
KULLBERG, M. P. (*See* Gorodetzky and Kullberg), 273

L

LANT, A. F. (*See* Gibbons and Lant), 578
LASAGNA, L. (*See* Joubert et al.), 253 (Commentary)
LATOS, D. L., BRYAN, C. S., AND STONE, W. J. Carbenicillin therapy in patients with normal and impaired renal function, 692
LAVELLE, K. J., DOEDENS, D. J., KLEIT, S. A., AND FORNEY, R. B. Iodine absorption in burn patients treated topically with povidone-iodine, 355
LAVERTY, W. (*See* Aronow et al.), 379
LEE, W.-K. (*See* Elson et al.), 134
LEFTON, T. E. (*See* McMahon et al.), 79
LEVY, G. (*See* Garrettson et al.), 98
LEVY, M. (*See* Reidenberg et al.), 722
LEVY, R. H., PITLICK, W. H., TROUPIN, A. S., GREEN, J. R., AND NEAL, J. M. Pharmacokinetics of carbamazepine in normal man, 657

LeWinter, M. M., Crawford, M. H., Karliner, J. S., and O'Rourke, R. A. Effects of oral propranolol in normal subjects, 709
Lewis, J. A., and Young, R. Deanol and methylphenidate in minimal brain dysfunction, 534
Lewis, L. A. (*See* Brown et al.), 171
Libke, R. D., Clarke, J. T., Ralph, E. D., Luthy, R. P., and Kirby, W. M. M. Ticarcillin vs carbenicillin; clinical pharmacokinetics, 441
Lindenbaum, J. Bioavailability of different lots of digoxin tablets from the same manufacturer, 296
Lindop, M. J. (*See* Mather et al.), 21
Lindström, B. (*See* Beermann et al.), 424
Linnoila, M. (*See* Seppälä et al.), 515
Lokich, J. J., Chawla, P. L., and Frei, E., III. 1,3 Bis-(2 chloroethyl)-1-nitrosourea and streptozotocin chemotherapy, 374
Loo, T. L. (*See* Ho et al.), 66
Lovejoy, F. H., Jr. (*See* Mitchell and Lovejoy), 627 (Correspondence)
Lowenthal, D. T. (*See* Gibson et al.), 321
Lumholtz, B., Siersbaek-Nielsen, K., Skovsted, L., Kampmann, J., and Hansen, J. M. Sulfamethizole-induced inhibition of diphenylhydantoin, tolbutamide, and warfarin metabolism, 731
Lupien, P. (*See* Bielmann et al.), 606
Luthy, R. P. (*See* Libke et al.), 441
Lyons, L. L. (*See* Welling et al.), 475

M

Mahler, D. L. (*See* Teutsch et al.), 195
Mäki, M. (*See* Seppälä et al.), 515
Mandelli, M., Morselli, P. L., Nordio, S., Pardi, G., Principi, N., Sereni, F., and Tognoni, G. Placental transfer of diazepam and its disposition in the newborn, 564
Mandelli, V. (*See* Fuccella et al.) 277
—. (*See* Ventafridda et al.), 284
March, J. (*See* Feinberg et al.), 458
Martino, G. (*See* Ventafridda et al.), 284
Mason, D. T. (*See* Miller et al.), 713
Mather, L. E., Tucker, G. T., Pflug, A. E., Lindop, M. J., and Wilkerson, C. Meperidine kinetics in man, 21
Mattern, J. (*See* Dave et al.), 36
Mattila, M. J. (*See* Seppälä et al.), 515
Matusik, E. (*See* Gibson et al.), 395
Matusik, J. (*See* Gibson et al.), 395
Mauer, S. M., 628 (Correspondence)
—, Paxson, C. L., von Hartizsch, B., Buselmeier, T. J., and Kjellstrand, C. M. Hemodialysis in an infant with propoxyphene intoxication, 88
Mayfield, D. E. (*See* Strong et al.), 184
McMahon, F. G., Jain, A. K., Ryan, J. R., and Lefton, T. E. Anticoagulant potency of mucosal and lung heparin, 79
McMahon et al.—cont'd
—. (*See* Ryan et al.), 83
McMahon, R. E. (*See* Änggård et al.), 258
McNamee, H. B., Mendelson, J. H., and Korn, J. Fenmetozole in acute alcohol intoxication in man, 735
McNay, J. L. (*See* Shen et al.), 363, 593
Meffin, P. J. (*See* Blaschke et al.), 685
—. (*See* Halkin et al.), 669
Mello, N. K. (*See* Mendelson and Mello), 529
Melmon, K. L. (*See* Blaschke et al.), 685
—. (*See* Halkin et al.), 385, 669
Mendelson, J. H., and Mello, N. K. Plasma testosterone levels during chronic heroin use and protracted abstinence, 529
—. (*See* McNamee et al.), 735
Miller, R. R., Vismara, L. A., and Mason, D. T. Comparative effects of tolamolol and propranolol on cardiac and peripheral circulatory function in patients with coronary artery disease, 713
Mitchell, A. A., and Lovejoy, F. H., Jr., 627 (Correspondence)
Modest, E. J. (*See* Tattersall et al.), 701
Moorjani, S. (*See* Bielmann et al.), 606
Morgenstern, E. (*See* Hahn et al.), 330
Morselli, P. L. (*See* Mandelli et al.), 564
Myers, R. R., and Stockard, J. J. Neurologic and electroencephalographic correlates in glutethimide intoxication, 212

N

Neal, J. M. (*See* Levy et al.), 657
Neeld, J. B., Jr., Allen, A. T., III, Coleman, E., Frederickson, E. L., and Goldberg, L. I. Cardiac rate and rhythm changes with atropine and methscopolamine, 290
Nelson, H. A. (*See* Gibson et al.), 321, 395
Ngai, S. H. (*See* Berkowitz et al.), 629
Nordio, S. (*See* Mandelli et al.), 564

O

Odio, W. (*See* Klastersky et al.), 348
Olsen, G. D. Morphine binding to human plasma proteins, 31
—, Bennett, W. M., and Porter, G. A. Morphine and phenytoin binding to plasma proteins in renal and hepatic failure, 677
O'Malley, K. (*See* Shen et al.), 593
O'Rourke, R. A. (*See* LeWinter et al.), 709

P

Page, I. H. (*See* Brown et al.), 171
Pardi, G. (*See* Mandelli et al.), 564
Passananti, G. T. (*See* Vesell et al.), 48
Paulus, H. E. (*See* Furst and Paulus), 622
Paxson, C. L. (*See* Mauer et al.), 88
Peck, C. C. (*See* Halkin et al.), 385
Pécoud, A., Donzel, P., and Schelling, J. L. Effect of foodstuffs on the absorption of zinc sulfate, 469

PERRY, P. J., 250 (Correspondence)
PETTINGER, W. A., KEETON, K., and TANAKA, K. Radioimmunoassay and pharmacokinetics of saralasin in the rat and hypertensive patients, 146
PFLUG, A. E. (*See* Mather et al.), 21
PITLICK, W. H. (*See* Levy et al.), 657
PORTER, G. A. (*See* Olsen et al.), 677
PRANDOTA, J., and PRUITT, A. W. Furosemide binding to human albumin and plasma of nephrotic children, 159
PRINCIPI, N. (*See* Mandelli et al.), 564
PROCKNAL, J. A. (*See* Garrettson et al.), 98
PROCTOR, J. D. (*See* Evans et al.), 44
PRUITT, A. W. (*See* Prandota and Pruitt), 159
PUSCHETT, J. B., GENEL, M., RASTEGAR, A., ANAST, C., DELUCA, H. F., AND FRIEDMAN, A. Long-term therapy of vitamin D–resistant rickets with 25-hydroxycholecalciferol, 202

R

RADO, M. (*See* Horns et al.), 636
RALPH, E. D. (*See* Libke et al.), 441
RANDELLI, M. (*See* Fuccella et al.), 277
RASTEGAR, A. (*See* Puschett et al.), 202
RAYMON, F. (*See* Strong et al.), 184
REAVEY, P. C. (*See* Tilstone and Reavey), 119 (Correspondence)
REGÅRDH, C.-G. (*See* Bengtsson et al.), 400
REICHERT, N., SHIBOLET, S., ADAR, R., AND GAFNI, J. Controlled trial of propranolol in intermittent claudication, 612
REIDENBERG, M. M., DRAYER, D. E., LEVY, M., AND WARNER, H. Polymorphic acetylation of procainamide in man, 722
— AND VESELL, E. S. Unaltered metabolism of antipyrine and tolbutamide in fasting man, 650
RICHTER, E. (*See* Zilly et al.), 302
RIETBROCK, N. (*See* Zilly et al.), 302
RIVERA-CALIMLIM, L. (*See* Joubert et al.), 253 (Commentary)
RODRIGUEZ, V. (*See* Ho et al.), 66
ROMAGNOLI, A., AND KEATS, A. S. Comparative respiratory depression of tilidine and morphine, 523
ROSÉN, A. (*See* Beermann et al.), 424
ROSENBLATT, J. E. (*See* Freemon et al.), 121
ROWLAND, M. (*See* Blaschke et al.), 685
—. (*See* Halkin et al.), 669
RYAN, J. R., JAIN, A. K., AND MCMAHON, F. G. Long-term treatment of hypercholesterolemia with colestipol hydrochloride, 83
—. (*See* McMahon et al.), 79

S

SANDBERG, C.-G. (*See* Änggård et al.), 258
SASSA, S. (*See* Alvares et al.), 179
SCHELLING, J. L. (*See* Pécoud et al.), 469
SELLEY, M. L., GLASS, J., TRIGGS, E. J., AND THOMAS, J. Pharmacokinetic studies of tolmetin in man, 599
SENGUPTA, S. K. (*See* Tattersall et al.), 701
SEPPÄLÄ, T., LINNOILA, M., ELONEN, E., MATTILA, M. J., AND MÄKI, M. Effect of tricyclic antidepressants and alcohol on psychomotor skills related to driving, 515
SERENI, F. (*See* Mandelli et al.), 564
SHADER, R. I. (*See* Greenblatt et al.), 1 (Review article)
SHAPIRO, J. R. (*See* Vesell et al.), 48
SHEINER, L. B. (*See* Halkin et al.), 385
SHEN, D., GIBALDI, M., THRONE, M., BELLWARD, G., CUNNINGHAM, R., ISRAILI, Z., DAYTON, P., AND MCNAY, J. Pharmacokinetics of bethanidine in hypertensive patients, 363
—, O'MALLEY, K., GIBALDI, M., AND MCNAY, J. L. Pharmacodynamics of minoxidil as a guide for individualizing dosage regimens in hypertension, 593
SHIBOLET, S. (*See* Reichert et al.), 612
SHIVELY, C. A. (*See* Vesell et al.), 48
SHOULSON, I., AND CHASE, T. N. Fenfluramine in man; hypophagia associated with diminished serotonin turnover, 616
SIERSBAEK-NIELSEN, K. (*See* Lumholtz et al.), 731
SJÖGREN, J. (*See* Graffner et al.), 414
SKOVSTED, L. (*See* Lumholtz et al.), 731
SMITH, G. A. (*See* Hooper et al.), 433
SMITH, T. W. (*See* Greenblatt et al.), 118 (Correspondence)
SODERGREN, J. E. (*See* Tattersall et al.), 701
SPECTOR, S. (*See* Berkowitz et al.), 629
SPIVACK, N. (*See* Aronow et al.), 379
STEFANELLI, G. (*See* Fuccella et al.), 277
STOCKARD, J. J. (*See* Myers and Stockard), 212
STOLL, R. G., AND WAGNER, J. G., 117 (Correspondence)
STONE, W. J. (*See* Latos et al.), 692
STORSTEIN, L. Studies on digitalis. III. Biliary excretion and enterohepatic circulation of digitoxin and its cardioactive metabolites, 313
STRONG, J. M., MAYFIELD, D. E., ATKINSON, A. J., JR., BURRIS, B. C., RAYMON, F., AND WEBSTER, L. T., JR. Pharmacological activity, metabolism, and pharmacokinetics of glycinexylidide, 184
—. (*See* Elson et al.), 134
SULLIVAN, H. R. (*See* Änggård et al.), 258
SUNSHINE, A. Comparison of the hypnotic activity of triazolam, flurazepam hydrochloride, and placebo, 573
SWANSON, G. D. (*See* Bellville et al.), 541

T

TANAKA, K. (*See* Pettinger et al.), 146

TATTERSALL, M. H. N., SODERGREN, J. E., SENGUPTA, S. K., TRITES, D. H., MODEST, E. J., AND FREI, EMIL, III. Pharmacokinetics of actinomycin D in patients with a malignant melanoma, 701

TÉTREAULT, L. (*See* Bielmann et al.), 606

TEUTSCH, G., MAHLER, D. L., BROWN, C. R., FORREST, W. H., JR., JAMES, K. E., AND BROWN, B. W. Hypnotic efficacy of diphenhydramine, methapyrilene, and pentobarbital, 195

THOMAS, J. (*See* Selley et al.), 599

THRONE, M. (*See* Shen et al.), 363

TILSTONE, W. J., AND REAVEY, P. C., 119 (Correspondence)

TOGNONI, G. (*See* Mandelli et al.), 564

TRIGGS, E. J. (*See* Selley et al.), 599

TRITES, D. H. (*See* Tattersall et al.), 701

TROCHTA, G. A. (*See* Welling et al.), 475

TROUPIN, A. S. (*See* Levy et al.), 657

TUCKER, G. T. (*See* Mather et al.), 21

TYRER, J. H. (*See* Hooper et al.), 433

V

VELANDIA, J. (*See* Evans et al.), 44

VENTAFRIDDA, V., MARTINO, G., MANDELLI, V., AND EMANUELI, A. Indoprofen, a new analgesic and anti-inflammatory drug in cancer pain, 284

VESELL, E. S., SHAPIRO, J. R., PASSANANTI, G. T., JORGENSEN, H., AND SHIVELY, C. A. Altered plasma half-lives of antipyrine, propylthiouracil, and methimazole in thyroid dysfunction, 48

—. (*See* Elin et al.), 447

—. (*See* Reidenberg and Vesell), 650

VISMARA, L. A. (*See* Miller et al.), 713

VON HARTIZSCH, B. (*See* Mauer et al.), 88

W

WAGNER, J. G. (*See* Stoll and Wagner), 117 (Correspondence)

WALKER, J. M. (*See* Feinberg et al.), 458

WARNER, H. (*See* Reidenberg et al.), 722

WARREN, M. (*See* Aronow et al.), 379

WASSERMAN, A. J. (*See* Evans et al.), 44

WEBER, E. (*See* Hahn et al.), 330

WEBSTER, L. T., JR. (*See* Strong et al.), 184

WEINBERGER, M., AND BRONSKY, E. Interaction of ephedrine and theophylline, 585

WEIS, J. (*See* Hansen et al.), 339

WELLING, P. G., LYONS, L. L., CRAIG, W. A., AND TROCHTA, G. A. Influence of diet and fluid on bioavailability of theophylline, 475

WILKERSON, C. (*See* Mather et al.), 21

WILKINSON, J. (*See* Gibson et al.), 395

WOLEN, R. L., ZIEGE, E. A., AND GRUBER, C. M., JR. Determination of propoxyphene and norpropoxyphene by chemical ionization mass fragmentography, 15

WOLFF, S. M. (*See* Elin et al.), 447

WORTHAM, G. F. (*See* Ehrlich and Wortham), 467

Y

YANG, J. C. (*See* Berkowitz et al.), 629

YEH, B. K., FRANCIS, J. S., JR., GOSSELIN, A. J., AND ELIAS, R. A. Antiarrhythmic activity of four pteridine compounds in ouabain intoxication, 141

YOUNG, R. (*See* Lewis and Young), 534

Z

ZIEGE, E. A. (*See* Wolen et al.), 15

ZILLY, W., RICHTER, E., AND RIETBROCK, N. Pharmacokinetics and metabolism of digoxin- and β-methyl-digoxin-12α-^{3}H in patients with acute hepatitis, 302

Subject index*

A

Acetazolamide, chlorthalidone and, binding-site interaction of (Beermann et al.), 424
Acetylation, polymorphic, of procainamide in man (Reidenberg et al.), 722
of procainamide in man and its relationship to isonicotinic acid hydrazide acetylation phenotype (Gibson et al.), 395
Acetylprocainamide, N-, antiarrhythmic potency of (Elson et al.), 134
Actinomycin D, pharmacokinetics of, in patients with malignant melanoma (Tattersall et al.), 701
Adenosine analogue, 6-N-hydroxylaminopurine an, hemolysis induced by (Dollinger et al.), 57
Albumin, human, and plasma of nephrotic children, furosemide binding to (Prandota and Pruitt), 159
Alcohol consumers more refractory to central nervous system depressants (Mather et al.), 21
intoxication, acute, in man, fenmetozole in (McNamee et al.), 735
as respiratory depressant and stimulant (Bellville et al.), 541
tricyclic antidepressants and, effect of, on psychomotor skills related to driving (Seppälä et al.), 515
American Society for Clinical Pharmacology and Therapeutics, Seventy-sixth Annual Meeting, abstracts of papers, 228
program for Seventy-sixth Annual Meeting, 221
Seventy-seventh Annual Meeting, announcement of call for abstracts, 738
Amikacin and gentamicin, comparison of (Klastersky et al.), 348
Analgesia and side effects, use of indoprofen for cancer pain and (Ventafridda et al.), 284
Analgesic effect of indroprofen (K 4277), double-blind study of (Fuccella et al.), 277
Angina, exercise heart rate and, effect of tolamolol and propranolol on (Aronow et al.), 379
Angina—cont'd
pectoris, effect of smoking marihuana and of high-nicotine cigarette on (Aronow and Cassidy), 549
Announcement of call for abstracts, American Society for Clinical Pharmacology and Therapeutics, 738
Antibiotic properties of sulbenicillin and carbenicillin compared (Hansen et al.), 339
Antipyrine half-lives, plasma, and metabolic clearance, effects of etiocholanolone-induced fever on (Elin et al.), 447
and phenylbutazone, metabolism of, in children and adults (Alvares et al.), 179
propylthiouracil, and methimazole, altered plasma half-lives of, in thyroid dysfunction (Vesell et al.), 48
and tolbutamide, unaltered metabolism of, in fasting man (Reidenberg and Vesell), 650
Arrhythmic, anti-, activity of four pteridine compounds in ouabain intoxication (Yeh et al.), 141
potency of N-acetylprocainamide (Elson et al.), 134
Arteriosclerosis obliterans, double-blind crossover trial of propranolol in intermittent claudication (Reichert et al.), 612
Artery(ies) disease, coronary, comparative effects of tolamolol and propranolol on cardiac and peripheral circulatory function in patients with (Miller et al.), 713
and veins, effect of glucagon on (Burch and Giles), 409
Arthritic patients and controls, differences in pharmacokinetics in (Selley et al.), 599
Arthritis, rheumatoid, lack of effect of, on clonixin metabolism (Furst and Paulus), 622
Aspirin compared to indoprofen for cancer pain (Ventafridda et al.), 284
morphology of gastrointestinal effects of (Hahn et al.), 330
during pregnancy, study of neonate (Garrettson et al.), 98
Asthma, ephedrine with theophylline for treatment of (Weinberger and Bronsky), 585
Atropine and methscopolamine, cardiac rate and rhythm changes with (Neeld et al.), 290

*January, pp. 1-120; February, pp. 121-252; March, pp. 253-378; April, pp. 379-514; May, pp. 515-628; June, pp. 629-758.

B

Bethanidine in hypertensive patients, pharmacokinetics of (Shen et al.), 363

Biliary excretion and enterohepatic circulation of digitoxin and its cardioactive metabolites; studies on digitalis (Storstein), 313

Bioavailability of different lots of digoxin tablets from same manufacturer (Lindenbaum), 296

standard, intravenous digoxin as (Stoll and Wagner), 117 (Correspondence)

of theophylline, influence of diet and fluid on (Welling et al.), 475

Biologic dependency, 'hypothesis testing', unilateral probabilities, and other issues in scientific direction vs. statistical duplexity (Feinstein), 499

equivalence in comparisons of two preparations of each of lung and mucosal heparin (McMahon et al.), 79

Blood-brain barrier not crossed by actinomycin D, in patients with malignant melanoma (Tattersall et al.), 701

cells, red, chlorthalidone and acetazolamide, transported by (Beermann et al.), 424

flow in muscle groups and drug absorption (Evans et al.), 44

levels of lidocaine and its active monodeethylated metabolite, influence of congestive heart failure on (Halkin et al.), 669

pressure and heart rate, plasma levels and effects of metoprolol on, in hypertensive patients after acute dose and between two doses during long-term treatment (Bengtsson et al.), 400

urea nitrogen, urea clearance and, as indicators of renal digoxin clearance (Halkin et al.), 385

Bone marrow, actinomycin D concentrated in, in patients with malignant melanoma (Tattersall et al.), 701

Books received, 120, 252, 514, 740

Brain, blood-, barrier, not crossed by actinomycin D, in patients with malignant melanoma (Tattersall et al.), 701

dysfunction, minimal, deanol and methylphenidate in (Lewis and Young), 534

electrical activity, effect of tetrahydrocannabinol on (Feinberg et al.), 458

Buerger's disease, double-blind crossover trial of propranolol in intermittent claudication (Reichert et al.), 612

Burn patients treated topically with povidone-iodine, iodine absorption in (Lavelle et al.), 355

C

Calcium loss, intestinal, hydroxycholecalciferol induces improvement apparently through reduction in (Puschett et al.), 202

Cancer pain, indoprofen, new analgesic and anti-inflammatory drug in (Ventafridda et al.), 284

primary and metastatic, indoprofen for decreasing pain in (Fuccella et al.), 277

Carbamazepine in normal man, pharmacokinetics of (Levy et al.), 657

plasma protein binding of (Hooper et al.), 433

Carbenicillin and sulbenicillin, comparable antibiotic properties (Hansen et al.), 339

therapy in patients with normal and impaired renal function (Latos et al.), 692

ticarcillin vs; clinical pharmacokinetics (Libke et al.), 441

Carbonic anhydrase providing transport in red blood cells for chlorthalidone and acetazolamide (Beermann et al.), 424

Cardiac acceleration, exercise-induced, in relation to plasma levels in man, effect of pindolol on (Gugler et al.), 127

and peripheral circulatory function in patients with coronary artery disease, comparative effects of tolamolol and propranolol on (Miller et al.), 713

rate and rhythm changes with atropine and methscopolamine (Neeld et al.), 290

Cardioactive metabolites, biliary excretion and enterohepatic circulation of digitoxin and; studies on digitalis (Storstein), 313

Cellular damage, microscopic evidence of, by aspirin in man (Hahn et al.), 330

Central nervous system depressants, heavy alcohol consumers more refractory to (Mather et al.), 21

Chemical ionization mass fragmentography, determination of propoxyphene and norpropoxyphene by (Wolen et al.), 15

Chemotherapy, streptozotocin, nitrosourea and (Lockich et al.), 374

Children, overdosed, diphenylhydantoin elimination kinetics in (Garrettson and Jusko), 481

Chlorthalidone and acetazolamide, binding-site interaction of (Beermann et al.), 424

Cholinergic, anti-, drugs, differences between effects of (Gibbons and Lant), 578

Cigarette smoking, nicotine regulation and (Kozlowski et al.), 93

Circulatory function, cardiac and peripheral, comparative effects of tolamolol and propranolol on, in patients with coronary artery disease (Miller et al.), 713

Claudication, intermittent, controlled trial of propranolol in (Reichert et al.), 612

Clinical biostatistics (Feinstein)

XXXI. On the sensitivity, specificity, and discrimination of diagnostic tests, 104

Clinical biostatistics (Feinstein)—cont'd
XXXII. Biologic dependency, 'hypothesis testing', unilateral probabilities, and other issues in scientific direction vs. statistical duplexity, 499
investigation, normal volunteer in (Joubert et al.), 253 (Commentary)
Clofibrate and fat-modified diet on serum lipids, effects of (Brown et al.), 171
Clonixin metabolism, lack of effect of rheumatoid arthritis on (Furst and Paulus), 622
Coagulant, anti-, potency of mucosal and lung heparin (McMahon et al.), 79
Coffee to inhibit zinc absorption (Pécoud et al.), 469
Colestipol hydrochloride, long-term treatment of hypercholesterolemia with (Ryan et al.), 83
Congestive heart failure, influence of, on blood levels of lidocaine and its active monodeethylated metabolite (Halkin et al.), 669
Coronary artery disease, comparative effects of tolamolol and propranolol on cardiac and peripheral circulatory function in patients with (Miller et al.), 713
Cyclocytidine, clinical pharmacology of (Ho et al.), 66
Cyclophosphamide, pseudometabolic rate constant less than for ifosfamide (Allen and Creaven), 492

D

Deanol and methylphenidate in minimal brain dysfunction (Lewis and Young), 534
Demethylation, enhanced, during treatment with methadone (Änggård et al.), 258
Depressants, tricyclic anti-, and alcohol, effect of, on psychomotor skills related to driving (Seppälä et al.), 515
Depression, comparative respiratory, of tilidine and morphine (Romagnoli and Keats), 523
direct myocardial, no evidence of found in use of oral propranolol in normal subjects (LeWinter et al.), 709
Dialysis, documentation of limitations of, in propoxyphene poisoning (Mauer et al.), 88
procainamide half-life diminished by about half during (Gibson et al.), 321
Diazepam, placental transfer of, and disposition in newborn (Mandelli et al.), 564
Diet and fluid, influence of, on bioavailability of theophylline (Welling et al.), 475
Dietary intake, human, effect of fenfluramine on (Shoulson and Chase), 616
restriction, clofibrate and (Brown et al.), 171
Digital circulation, effect of glucagon on (Burch and Giles), 409
Digitalis, studies on; biliary excretion and enterohepatic circulation of digitoxin and its cardioactive metabolites (Storstein), 313
Digoxin and β-methyl-digoxin-12α-^{3}H in patients with acute hepatitis (Zilly et al.), 302
concentrations and serum and saliva, relationship between (Huffman), 310
determinants of renal clearance of (Halkin et al.), 385
intravenous, as bioavailability standard (Stoll and Wagner), 117 (Correspondence)
tablets from same manufacturer, bioavailability of different lots of (Lindenbaum), 296
Diphenylhydantoin elimination kinetics in overdosed children (Garrettson and Jusko), 481
tolbutamide, and warfarin metabolism, sulfamethizole-induced inhibition of (Lumholtz et al.), 731
Diphenhydramine, methapyrilene, and pentobarbital, hypnotic efficacy of (Teutsch et al.), 195
Diphosphoglycerate, red cell 2, 3, and hematocrit in hemodialysis patients, effect of nortestosterone decanoate on (Goodman and Bessman), 167
Disease, coronary artery, comparative effects of tolamolol and propranolol on cardiac and peripheral circulatory function in patients with (Miller et al.), 713
Dogs, rats and, antagonism of acute alcohol intoxication reported in (McNamee et al.), 735
Dopamine turnover, central, thioridazine as, and clinical effects of antipsychotic drugs (Bowers), 73
Dopaminergic mechanisms, serotonergic rather than, alterations in; fenfluramine in man (Shoulson and Chase), 616
Driving, psychomotor skills related to, effect of tricyclic antidepressants and alcohol on (Seppälä et al.), 515
Drug(s) absorption, blood flow in muscle groups and (Evans et al.), 44
antipsychotic, central dopamine turnover and clinical effects of (Bowers), 73
metabolism in normal children, lead-poisoned children, and normal adults (Alvares et al.), 179

E

Electroencephalographic, neurologic and, correlates in glutethimide intoxication (Myers and Stockard), 212
Enterohepatic circulation, biliary excretion and, of digitoxin and its cardioactive metabolites; studies on digitalis (Storstein), 313
Ephedrine and theophylline, interaction of (Weinberger and Bronsky), 585

Epilepsy, usefulness of carbamazepine in treatment of (Levy et al.), 657
Ethanol absorption, effects of intravenous and oral propantheline and metoclopramide on (Gibbons and Lant), 578
Etiocholanolone-induced fever, effects of, on plasma antipyrine half-lives and metabolic clearance (Elin et al.), 447
Etorphine in man; detectability in urine by common screening methods (Gorodetzky and Kullberg), 273
subjective effects and suppression of morphine abstinence (Jasinski et al.), 267
Euphoria produced by etorphine (Jasinski et al.), 267
Exercise-induced cardiac acceleration in relation to plasma levels in man, effect of pindolol on (Gugler et al.), 127
Exercise tolerance in angina, marihuana smoking appears to reduce more than nicotine smoking (Aronow and Cassidy), 549

F

Fenfluramine in man; hypophagia associated with diminished serotonin turnover (Shoulson and Chase), 616
Fenmetozole in acute alcohol intoxication in man (McNamee et al.), 735
Fetal acquisition and neonatal elimination of large amount of salicylate (Garrettson et al.), 98
Fever, etiocholanolone-induced, effects of, on plasma antipyrine half-lives and metabolic clearance (Elin et al.), 447
Fluid, diet and, influence of, on bioavailability of theophylline (Welling et al.), 475
Flurazepam hydrochloride (Greenblatt et al.), 1 (Review article)
triazolam, and placebo, comparison of hypnotic activity of (Sunshine), 573
Foodstuffs, effect of, on absorption of zinc sulfate (Pécoud et al.), 469
Fragmentography, chemical ionization mass, determination of propoxyphene and norpropoxyphene by (Wolen et al.), 15
Furosemide binding to human albumin and plasma of nephrotic children (Prandota and Pruitt), 159

G

Gastrointestinal effects of aspirin, morphology of (Hahn et al.), 330
tract or liver, first-pass imipramine metabolism in (Gram and Christiansen), 555
Gentamicin, amikacin and, comparison of (Klastersky et al.), 348
Glucagon, effect of, on digital circulation (Burch and Giles), 409
Glutethimide intoxication, neurologic and electroencephalographic correlates in (Myers and Stockard), 212
Glycinexylidide, pharmacological activity, metabolism, and pharmacokinetics of (Strong et al.), 184
Guanazole, pharmacokinetics of, in patients with acute myelocytic leukemia (Dave et al.), 36

H

Heart failure, congestive, influence of, on blood levels of lidocaine and its active monodeethylated metabolite (Halkin et al.), 669
rate and angina, exercise, effect of tolamolol and propranolol on (Aronow et al.), 379
blood pressure and, plasma levels and effects of metoprolol on, in hypertensive patients after acute dose and between two doses during long-term treatment (Bengtsson et al.), 400
Hematocrit, red cell 2, 3 diphosphoglycerate and, in hemodialysis patients, effect of nortestosterone decanoate on (Goodman and Bessman), 167
Hemodialysis in infant with propoxyphene intoxication (Mauer et al.), 88; 627 (Correspondence)
patients, effect of nortestosterone decanoate on red cell 2, 3 diphosphoglycerate and hematocrit in (Goodman and Bessman), 167
Hemolysis induced by 6-N-hydroxylaminopurine riboside, an adenosine analogue (Dollinger et al.), 57
Hemolytic drugs, hypothesis advanced for mode of action of hydroxylaminopurine riboside, one of most potent (Dollinger et al.), 57
Heparin half-life in normal and impaired renal function, 249 (Correspondence)
mucosal and lung, anticoagulant potency of (McMahon et al.), 79
Hepatic failure, renal and, morphine and phenytoin binding to plasma proteins in (Olsen et al.), 677
Hepatitis, acute, pharmacokinetics and metabolism of digoxin- and β-methyl-digoxin-12α-^{3}H in patients with acute hepatitis (Zilly et al.), 302
viral, influence of, on phenytoin kinetics and protein binding (Blaschke et al.), 685
Heroin, greater potency of etorphine than (Jasinski et al.), 267
use, chronic, plasma testosterone levels during, and protracted abstinence (Mendelson and Mello), 529
Homovanillic acid, correlation of, with extrapyramidal side effects in use of antipsychotic drugs (Bowers), 73
Human plasma proteins, morphine binding to (Olsen), 31

Hydrochloride, colestipol, long-term treatment of hypercholesterolemia with (Ryan et al.), 83
flurazepam (Greenblatt et al.), 1 (Review article)
Hydroxycholecalciferol, 25-, long-term therapy of vitamin D–resistant rickets with (Puschett et al.), 202
Hydroxylaminopurine riboside, hemolysis induced by (Dollinger et al.), 57
Hyperactivity, child, deanol used as treatment for (Lewis and Young), 534
Hypercholesterolemia, long-term treatment of, with colestipol hydrochloride (Ryan et al.), 83
Hyperlipidemia, greater lipid reduction caused by (Brown et al.), 171
Hyperlipoproteinemia, type IV, new hypolipidemic drug in (Bielmann et al.), 606
Hypertension, pharmacodynamics of minoxidil as guide for individualizing dosage regimens in (Shen et al.), 593
Hypertensive patients, pharmacokinetics of bethanidine in (Shen et al.), 363
plasma levels and effects of metoprolol on blood pressure and heart rate in (Bengtsson et al.), 400
radioimmunoassay and pharmacokinetics of saralasin in rat and (Pettinger et al.), 146
Hypnotic activity of triazolam, flurazepam hydrochloride, and placebo, comparison of (Sunshine), 573
drugs, flurazepam compared to other drugs, 1 (Review article)
efficacy of diphenhydramine, methapyrilene, and pentobarbital (Teutsch et al.), 195
Hypolipidemic drug, new, in type IV hyperlipoproteinemia (Bielmann et al.), 606
Hypophagia associated with diminished serotonin turnover, fenfluramine in man (Shoulson and Chase), 616

I

Ifosfamide, pharmacokinetics of (Allen and Creaven), 492
Imipramine, antidepressant drug, structurally related to carbamazepine (Levy et al.), 657
in man, first-pass metabolism of (Gram and Christiansen), 555
Indoprofen (K 4277), double-blind study of analgesic effect of (Fuccella et al.), 277
new analgesic and anti-inflammatory drug in cancer pain (Ventafridda et al.), 284
Infant with propoxyphene intoxication, hemodialysis in (Mauer et al.), 88; 627 (Correspondence)
Intestinal calcium loss, hydroxycholecalciferol induces improvement apparently through reduction in (Puschett et al.), 202
Intoxication, acute alcohol, in man, fenmetozole in (McNamee et al.), 735
glutethimide, neurologic and electroencephalographic correlates in (Myers and Stockard), 212
ouabain, antiarrhythmic activity of four pteridine compounds in (Yeh et al.), 141
propoxyphene, hemodialysis in infant with (Mauer et al.), 88; 627 (Correspondence)
Iodine absorption in burn patients treated topically with povidone-iodine (Lavelle et al.), 355
Ionization mass fragmentography, chemical, determination of propoxyphene and norpropoxyphene by (Wolen et al.), 15
Isonicotinic acid hydrazide acetylation phenotype, acetylation of procainamide in man and its relationship to (Gibson et al.), 395

K

Kinetics, diphenylhydantoin elimination, in overdosed children (Garrettson and Jusko), 481
meperidine, in man (Mather et al.), 21
phenytoin, and protein binding, influence of acute viral hepatitis on (Blaschke et al.), 685

L

Lead-poisoned children, normal children, and normal adults, drug metabolism in (Alvares et al.), 179
Lethargy and somnolence in course of tetrahydrocannabinol action (Freemon et al.), 121
Leukemia, acute myelocytic, pharmacokinetics of guanazole in patients with (Dave et al.), 36
Lidocaine and its active monodeethylated metabolite, blood levels of, influence of congestive heart failure on (Halkin et al.), 669
glycinexylidide metabolite of (Strong et al.), 184
Lipids, serum, effects of clofibrate and fat-modified diet on (Brown et al.), 171
Liver, gastrointestinal tract or, first-pass metabolism of imipramine in (Gram and Christiansen), 555
Lung heparin, mucosal and, anticoagulant potency of (McMahon et al.), 79

M

Malignant melanoma, pharmacokinetics of actinomycin D in patients with (Tattersall et al.), 701
Man, pharmacokinetic studies of tolmetin in (Selley et al.), 599

Marihuana smoking, effect of, and of high-nicotine cigarette on angina pectoris (Aronow and Cassidy), 549
users, experienced, electroencephalographic readings and eye movement recorded (Feinberg et al.), 458
Marijuana, respiratory effects of (Bellville et al.), 541
Marrow toxicity and streptozotocin chemotherapy (Lokich et al.), 374
Melanoma, malignant, pharmacokinetics of actinomycin D in patients with (Tattersall et al.), 701
Meperidine kinetics in man (Mather et al.), 21
Metabolic clearance, plasma antipyrine half-lives and, effects of etiocholanolone-induced fever on (Elin et al.), 447
Metabolism, clonixin, lack of effect of rheumatoid arthritis on (Furst and Paulus), 622
diphenylhydantoin, tolbutamide, and warfarin, sulfamethizole-induced inhibition of (Lumholtz et al.), 731
drug, in normal children, lead-poisoned children, and normal adults (Alvares et al.), 179
first-pass, of imipramine in man (Gram and Christiansen), 555
pharmacokinetics and, of digoxin- and β-methyldigoxin-12α-^{3}H in patients with acute hepatitis (Zilly et al.), 302
unaltered, of antipyrine and tolbutamide in fasting man (Reidenberg and Vesell), 650
Metabolite(s), active monodeethylated, influence of congestive heart failure on blood levels of lidocaine and (Halkin et al.), 669
cardioactive, biliary excretion and enterohepatic circulation of digitoxin and; studies on digitalis (Storstein), 313
N-acetylated, of procainamide, antiarrhythmic potency of, compared to that of procainamide (Elson et al.), 134
ratio of parent drug to, increased during methadone maintenance (Änggård et al.), 258
Methadone and affinity for human plasma protein (Olsen), 31
disposition of, in methadone maintenance (Änggård et al.), 258
heroin alone and in combination with (Mendelson and Mello), 529
hydrochloride, plasma levels and symptom complaints in patients maintained on daily dosage of (Horns et al.), 636
programs, naloxone for diagnosis in, 251 (Correspondence)
Methapyrilene, hypnotic efficacy of (Teutsch et al.), 195
Methimazole, antipyrine, propylthiouracil and, in thyroid dysfunction, altered plasma half-lives of (Vesell et al.), 48
Methscopolamine, atropine and, cardiac rate and rhythm changes with (Neeld et al.), 290
Methylphenidate, deanol and, in minimal brain dysfunction (Lewis and Young), 534
Metoclopramide, intravenous and oral propantheline and, effects of, on ethanol absorption (Gibbons and Lant), 578
Metoprolol, plasma levels and effects of, on blood pressure and heart rate in hypertensive patients after acute dose and between two doses during long-term treatment (Bengtsson et al.), 400
Microorganisms not responsive to gentamicin, in comparison of amikacin and gentamicin (Klastersky et al.), 348
Minoxidil, pharmacodynamics of, as guide for individualizing dosage regimens in hypertension (Shen et al.), 593
Morphine abstinence, subjective effects and suppression of; etorphine in man (Jasinski et al.), 267
alkaloid abuse, standard methods for detection in urine of evidence of (Gorodetzky and Kullberg), 273
binding to human plasma proteins (Olsen), 31
disposition of, in surgical patients (Berkowitz et al.), 629
equivalent, concentration of, in urine, 119 (Correspondence)
and phenytoin binding to plasma proteins in renal and hepatic failure (Olsen et al.), 677
tilidine and, comparative respiratory depression of (Romagnoli and Keats), 523
Mucosal and lung heparin, anticoagulant potency of (McMahon et al.), 79
Muscle groups, blood flow in, and drug absorption (Evans et al.), 44
Myocardial depression, direct, no evidence of found in use of oral propranolol in normal subjects (LeWinter et al.), 709

N

Naloxone for diagnosis in methadone programs, 251 (Correspondence)
Narcotics, elderly patients more susceptible to respiratory depression from (Mather et al.), 21
Neonatal elimination, fetal acquisition and, of large amount of salicylate (Garrettson et al.), 98
Nephrotic children, furosemide binding to human albumin and plasma of (Prandota and Pruitt), 159
Neuralgia, trigeminal, carbamazepine in treatment of (Levy et al.), 657
Neurologic and electroencephalographic correlates in glutethimide intoxication (Myers and Stockard), 212
Newborn, placental transfer of diazepam and its disposition in (Mandelli et al.), 564

Nicotine, high-, cigarette, effect of smoking marihuana and, on angina pectoris (Aronow and Cassidy), 549
regulation and cigarette smoking (Kozlowski et al.), 93
Nitrosourea, 1, 3 bis-(2 chloroethyl)-1-, and streptozotocin chemotherapy (Lokich et al)., 374
Norpropoxyphene, propoxyphene and, determination of, by chemical ionization mass fragmentography (Wolen et al.), 15
Nortestosterone decanoate, effect of, on red cell 2, 3 diphosphoglycerate and hematocrit in hemodialysis patients (Goodman and Bessman), 167

O

Opiate(s), urine samples analyzed for presence of (Gorodetzky and Kullberg), 273
use, illicit, urine tests for (Horns et al.), 636
Ouabain intoxication, antiarrhythmic activity of four pteridine compounds in (Yeh et al.), 141

P

Penicillin, new broad-spectrum semisynthetic, sulbenicillin, pharmacokinetics of (Hansen et al.), 339
Pentobarbital, effect on respiration (Bellville et al.), 541
hypnotic efficacy of (Teutsch et al.), 195
Pharmacodynamics of minoxidil as guide for individualizing dosage regimens in hypertension (Shen et al.), 593
Pharmacokinetic(s) of actinomycin D in patients with malignant melanoma (Tattersall et al.), 701
of bethanidine in hypertensive patients (Shen et al.), 363
of carbamazepine in normal man (Levy et al.), 657
clinical, of ticarcillin vs carbenicillin (Libke et al.), 441
of glycinexylidide (Strong et al.), 184
of guanazole in patients with acute myelocytic leukemia (Dave et al.), 36
of ifosfamide (Allen and Creaven), 492
and metabolism of digoxin- and β-methyl-digoxin-12α-^{3}H in patients with acute hepatitis (Zilly et al.), 302
of procainamide intravenously and orally as conventional and slow-release tablets (Graffner et al.), 414
radioimmunoassay and, of saralasin in rat and hypertensive patients (Pettinger et al.), 146
studies of tolmetin in man (Selley et al.), 599
Pharmacological activity, metabolism, and pharmacokinetics of glycinexylidide (Strong et al.), 184
Phenylbutazone, antipyrine and, metabolism of, in children and adults (Alvares et al.), 179
Phenytoin binding, morphine and, to plasma proteins in renal and hepatic failure (Olsen et al.), 677
kinetics and protein binding, influence of acute viral hepatitis on (Blaschke et al.), 685
Physostigmine and delta-9-tetrahydrocannabinol, interaction of, in man (Freemon et al.), 121
Pindolol, effect of, on exercise-induced cardiac acceleration in relation to plasma levels in man (Gugler et al.), 127
Placebo, triazolam, flurazepam hydrochloride and, comparison of hypnotic activity of (Sunshine), 573
Placental transfer of diazepam and its disposition in newborn (Mandelli et al.), 564
Plasma antipyrine half-lives and metabolic clearance, effects of etiocholanolone-induced fever on (Elin et al.), 447
cholesterol in type IV hyperlipoproteinemia, effect of tibric acid on (Bielmann et al.), 606
concentration peaks, high, not observed after slow-release tablets of procainamide. (Graffner et al.), 414
half-lives, altered, of antipyrine, propylthiouracil, and methimazole in thyroid dysfunction (Vesell et al.), 48
levels and effects of metoprolol on blood pressure and heart rate in hypertensive patients after acute dose and between two doses during long-term treatment (Bengtsson et al.), 400
of guanazole used in therapeutics programs for patients with acute myelocytic leukemia (Dave et al.), 36
in man, effect of pindolol on exercise-induced cardiac acceleration in relation to (Gugler et al.), 127
and symptom complaints in patients maintained on daily dosage of methadone hydrochloride (Horns et al.), 636
of nephrotic children, furosemide binding to human albumin and (Prandota and Pruitt), 159
protein(s) binding of carbamazepine (Hooper et al.), 433
human, morphine binding to (Olsen), 31
in renal and hepatic failure, morphine and phenytoin binding to (Olsen et al.), 677
testosterone levels during chronic heroin use and protracted abstinence (Mendelson and Mello), 529
and urine excretion curves in administration of cyclocytidine (Ho et al.), 66
Polymorphic acetylation of procainamide in man (Reidenberg et al.), 722
Povidone-iodine, burn patients treated topically with, iodine absorption in (Lavelle et al.), 355

Pregnancy, aspirin during, study of neonate (Garrettson et al.), 98
Procainamide, acetylation of, in man and its relationship to isonicotinic acid hydrazide acetylation phenotype (Gibson et al.), 395
elimination of, in end stage renal failure (Gibson et al.), 321
in man, polymorphic acetylation of (Reidenberg et al.), 722
pharmacokinetics of, intravenously and orally as conventional and slow-release tablets (Graffner et al.), 414
Propantheline and metoclopramide, intravenous and oral, effects of, on ethanol absorption (Gibbons and Lant), 578
Propoxyphene intoxication, hemodialysis in infant with (Mauer et al.), 88; 627 (Correspondence)
and norpropoxyphene, determination of, by chemical ionization mass fragmentography (Wolen et al.), 15
Propranolol, controlled trial of, in intermittent claudication (Reichert et al.), 612
oral, effects of, in normal subjects (LeWinter et al.), 709
tolamolol and, comparative effects of, on cardiac and peripheral circulatory function in patients with coronary artery disease (Miller et al.), 713
effect of, on exercise heart rate and angina (Aronow et al.), 379
Propylthiouracil, antipyrine, and methimazole in thyroid dysfunction, altered plasma half-lives of (Vesell et al.), 48
Protein(s) binding, influence of acute viral hepatitis on phenytoin kinetics and (Blaschke et al.), 685
plasma, of carbamazepine (Hooper et al.), 433
human plasma, morphine binding to (Olsen), 31
plasma, morphine and phenytoin binding to, in renal and hepatic failure (Olsen et al.), 677
Proteinuria, pseudo-, in tolmetin-treated patients (Ehrlich and Wortham), 467
Pseudomonas, greater activity of ticarcillin vs carbenicillin against (Libke et al.), 441
Pseudoproteinuria in tolmetin-treated patients (Ehrlich and Wortham), 467
Psychomotor skills related to driving, effect of tricyclic antidepressants and alcohol on (Seppälä et al.), 515
Psychotic, anti-, drugs, central dopamine turnover and clinical effects of (Bowers), 73
Pteridine compounds, four, antiarrhythmic activity of, in ouabain intoxication (Yeh et al.), 141
Pupillary constriction produced by etorphine (Jasinski et al.), 267
Pyrogen-induced fever, prolongation of antipyrine half-life and reduction of metabolic clearance rate by (Elin et al.), 447

R

Radioimmunoassay and pharmacokinetics of saralasin in rat and hypertensive patients (Pettinger et al.), 146
sensitive and specific, in anesthetized surgical patients (Berkowitz et al.), 629
Rat(s) and dogs, antagonism of acute alcohol intoxication reported in (McNamee et al.), 735
and hypertensive patients, radioimmunoassay and pharmacokinetics of saralasin in (Pettinger et al.), 146
Renal clearance of digoxin, determinants of (Halkin et al.), 385
indicating active secretion in tubules after procainamide intravenously and orally (Graffner et al.), 414
failure, end stage, elimination of procainamide in (Gibson et al.), 321
function, normal and impaired, carbenicillin therapy in patients with (Latos et al.), 692
heparin half-life in, 249 (Correspondence)
and hepatic failure, morphine and phenytoin binding to plasma proteins in (Olsen et al.), 677
Respiratory depression, comparative, of tilidine and morphine (Romagnoli and Keats), 523
effects of delta-9-tetrahydrocannabinol (Bellville et al.), 541
Rheumatoid arthritis, lack of effect of, on clonixin metabolism (Furst and Paulus), 622
Rhythm changes, cardiac rate and, with atropine and methscopolamine (Neeld et al.), 290
Riboside, 6-N-hydroxylaminopurine, an adenosine analogue, hemolysis induced by (Dollinger et al.), 57
Rickets, vitamin D–resistant, long-term therapy of, with 25-hydroxycholecalciferol (Puschett et al.), 202

S

Salicylate, fetal acquisition and neonatal elimination of large amount of (Garrettson et al.), 98
Saliva, serum and, digoxin concentrations and, relationship between (Huffman), 310
Saralasin, radioimmunoassay and pharmacokinetics of, in rat and hypertensive patients (Pettinger et al.), 146
Scientific direction vs. statistical duplexity (Feinstein), 499
Serotonin turnover, diminished, hypophagia associated with; fenfluramine in man (Shoulson and Chase), 616

Serum concentrations, effective, in patients, method for determining and maintaining; therapy in patients with normal and impaired renal function (Latos et al.), 692
Serum levels, consistent, provided by theophylline tablets (Welling et al.), 475
Serum levels, differences in, in comparison of amikacin and gentamicin (Klastersky et al.), 348
levels, consistent, provided by theophylline tablets (Welling et al.), 475
differences in, in comparison of amikacin and gentamicin (Klastersky et al.), 348
of morphine and its effects, useful correlation established between (Berkowitz et al.), 629
lipids, effects of clofibrate and fat-modified diet on (Brown et al.), 171
and saliva, digoxin concentrations and, relationship between (Huffman), 310
and urine studies, variability of, in different lots of digoxin tablets from same manufacturer (Lindenbaum), 296
Sleep patterns in man, effects of high dosage delta-9-tetrahydrocannabinol on (Feinberg et al.), 458
Smoking, cigarette, nicotine regulation and (Kozlowski et al.), 93
Somnolence, lethargy and, in course of tetrahydrocannabinol action (Freemon et al.), 121
Statistical duplexity, scientific direction vs. (Feinstein), 499
Streptozotocin chemotherapy, nitrosourea and (Lokich et al.), 374
Sulbenicillin, new broad-spectrum semisynthetic penicillin, pharmacokinetics of (Hansen et al.), 339
Sulfamethizole-induced inhibition of diphenylhydantoin, tolbutamide, and warfarin metabolism (Lumholtz et al.), 731
Sulfosalicylic acid test as indication for true proteinuria vs pseudoproteinuria (Ehrlich and Wortham), 467
Surgical patients, disposition of morphine in (Berkowitz et al.), 629
Symptom complaints, plasma levels and, in patients maintained on daily dosage of methadone hydrochloride (Horns et al.), 636

T

Testosterone levels, plasma, during chronic heroin use and protracted abstinence (Mendelson and Mello), 529
Tetrahydrocannabinol, delta 9-, high dosage, effects of, on sleep patterns in man (Feinberg et al.), 458
Tetrahydrocannabinol—cont'd
interaction of physostigmine and, in man (Freemon et al.), 121
respiratory effects of (Bellville et al.), 541
Theophylline, ephedrine and, interaction of (Weinberger and Bronsky), 585
influence of diet and fluid on bioavailability of (Welling et al.), 475
Thioridazine; central dopamine turnover and clinical effects of antipsychotic drugs (Bowers), 73
Tibric acid, dose-response to; new hypolipidemic drug in type IV hyperlipoproteinemia (Bielmann et al.), 606
Ticarcillin vs carbenicillin; clinical pharmacokinetics (Libke et al.), 441
Tilidine and morphine, comparative respiratory depression of (Romagnoli and Keats), 523
Tolamolol and propranolol, comparative effects of, on cardiac and peripheral circulatory function in patients with coronary artery disease (Miller et al.), 713
effect of, on exercise heart rate and angina (Aronow et al.), 379
Tolbutamide, antipyrine and, unaltered metabolism of, in fasting man (Reidenberg and Vesell), 650
diphenylhydantoin, and warfarin metabolism, sulfamethizole-induced inhibition of (Lumholtz et al.), 731
Tolmetin in man, pharmacokinetic studies of (Selley et al.), 599
-treated patients, proteinuria in (Ehrlich and Wortham), 467
Toxicity increased in use of ephedrine with theophylline for treatment of asthma (Weinberger and Bronsky), 585
marrow, and streptozotocin chemotherapy (Lokich et al.), 374
Triazolam, flurazepam hydrochloride, and placebo, comparison of hypnotic activity of (Sunshine), 573
Triglycerides lowered by tibric acid in type IV hyperlipoproteinemia (Bielmann et al.), 606

U

Urea clearance and blood urea nitrogen as indicators of renal digoxin clearance (Halkin et al.), 385
Urinalysis, possibility of misleading results in, after use of tolmetin indicates use of special methods to examine for proteinuria (Ehrlich and Wortham), 467
Urine, concentration of morphine equivalent in, 119 (Correspondence)
detectability of etorphine in, by common screening methods (Gorodetzky and Kullberg), 273

Urine—cont'd
excretion curves, plasma and, in administration of cyclocytidine (Ho et al.), 66
studies, serum and, variability of, in different lots of digoxin tablets from same manufacturer (Lindenbaum), 296

V

Veins, arteries and, effect of glucagon on (Burch and Giles), 409
Viral hepatitis, acute, influence of, on phenytoin kinetics and protein binding (Blaschke et al.), 685
Vitamin D–resistant rickets, long-term therapy of, with 25-hydroxycholecalciferol (Puschett et al.), 202
Volunteer, normal, in clinical investigation (Joubert et al.), 253 (Commentary)

W

Warfarin metabolism, diphenylhydantoin, tolbutamide, and sulfamethizole-induced inhibition of (Lumholtz et al.), 731

X

Xenon disappearance technique in blood flow in muscle groups and drug absorption (Evans et al.), 44

Z

Zinc sulfate, effect of foodstuffs on absorption of (Pécoud et al.), 469